Appl. No. 10/539,169 Amdt. Dated May 14, 2010

Reply to Office action of November 20, 2009

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1 -3 (Cancelled).

 (Currently Amended) A process for the production of an ¹⁸F-labelled tracer which comprises treatment of a solid support-bound precursor of formula (lb)

SOLID SUPPORT-LINKER-I
$$^+$$
-TRACER (Ib) Y^-

wherein Y^- is an anion, the SOLID SUPPORT is a polymer selected from polystyrene which is optionally block grafted, polyacrylamide, and polypropylene or glass or silicon coated with such a polymer, the LINKER is selected from:

Appl. No. 10/539,169 Amdt. Dated May 14, 2010 Reply to Office action of November 20, 2009

wherein at each occurrence, k is an integer of 0 to 3, n is an integer of 1 to 16, and R^L is hydrogen or C1-6alkyl; and

wherein each phenyl ring is optionally substituted by 1 to 4 groups selected from $C_{1:6}$ alkyl and $C_{1:6}$ alkoxy; and the TRACER is of formula (Ab1)

$$R^8$$
 N NR^1R^2 $(Ab1)$

wherein:

Appl. No. 10/539,169

Amdt. Dated May 14, 2010

Reply to Office action of November 20, 2009

 R^1 and R^2 are independently selected from hydrogen, $C_{1.6}$ alkyl, $C_{1.6}$ hydroxyalkyl, $C_{1.6}$ haloalkyl, and a protecting group selected from alkoxycarbonyl:

 R^5 is hydrogen, $C_{1:6}$ alkyl, or a bond to the SOLID SUPPORT-LINKER-1*- group in formula (Ib);

 R^8 is hydroxy, $C_{1:6}$ alkoxy, $C_{1:6}$ haloalkyl, $C_{1:6}$ alkyl, or a bond to the SOLID SUPPORT-LINKER-I⁺- group in formula (Ib):

provided that only one of R⁵ and R⁸ is a bond to the SOLID SUPPORT-LINKER-1*- group in formula (Ib):

(Ab)

wherein:

 R^{+} -and R^{2} -are independently selected from hydrogen, a protecting group, C_{+6} -alkyl, C_{+6} -hydroxyalkyl, and C_{+6} -haloalkyl;

one of R^3 to R^{16} is a bond to the SOLID SUPPORT LINKER I*—group in formula (Ib) and the others are independently selected from hydrogen, halo, C_{16} alkyl, C_{16} haloalkyl, C_{16} hydroxyalkyl, C_{16} haloalkoxy, hydroxy, eyano, and nitro;

with ¹⁸F to produce the labelled tracer of formula (IIb)

18F-TRACER (IIb)

Appl. No. 10/539,169 Amdt. Dated May 14, 2010

Reply to Office action of November 20, 2009

wherein the TRACER is as defined for the compound of formula (Ib) except that one of \underline{R}^{S} and $\underline{R}^{8}R^{3}$ -to- \underline{R}^{40} is a bond to the ^{18}F instead of a bond to the SOLID SUPPORT-LINKER-I*-group in formula (Ib);

optionally followed by:

- (i) removal of excess ¹⁸F , for example by ion-exchange chromatography; and/or
- (ii) removal of any protecting groups; and/or
- (iii) removal of organic solvent; and/or
- (iv) formulation of the <u>resultant compoundlabelled tracer</u> of formula (IIb) as an aqueous solution.
- (Cancelled).

Claims 6-14 (cancelled).

15. (New) A process according to claim 4 wherein the LINKER is selected from:

wherein each phenyl ring is optionally substituted by 1 to 4 groups selected from $C_{1\text{-}6}$ alkyl and $C_{1\text{-}6}$ alkoxy.